

# TRACERLINE®

*We Take Leaks Seriously!*

## Specialty Tools

- Accurate
- Professional
- Dependable
- Durable
- Affordable



**TRACER PRODUCTS**  
A Division of Spectronics Corporation

**ISO 9001:2000**  
CERTIFIED COMPANY



## TP-9360 PRO-Alert™ Electronic Refrigerant Leak Detector

*Utilizes high-performance heated-diode sensor technology.*

### Features

- Optimum sensitivity detects leaks down to 0.25 oz/year (7 g/year)
- Automatically self-calibrates to neutralize background contamination
- Sensor life up to 200 hours or more
- Sensitive to R-12, R-134a and all other HFC refrigerants
- High/low sensitivity switch for accurate diagnosis of both large and small leaks
- Variable-intensity audible alarm plus flashing LED help pinpoint leaks fast
- Chrome-plated, flexible metal probe holds its position in tight spaces
- Easily replaceable foam filter protects sensor and pump
- Includes sensor, replacement filters, (2) D cell batteries and rugged carrying case

## TP-9364 PRO-Alert 2791™ Electronic Refrigerant Leak Detector

*Utilizes state-of-the-art infrared sensor technology. Certified to meet new SAE J2791 standard for electronic refrigerant leak detectors.*

**Meets SAE  
J2791  
STANDARD!**

### Features

- Optimum sensitivity detects leaks down to 0.1 oz/year (3 g/year)
- User selectable, three-position sensitivity switch minimizes false triggering and allows for easy diagnosis of small, medium and large leaks
- Sensitive to R-12, R-134a and all other HFC refrigerants
- Infrared sensor provides consistent response and cannot be "poisoned" by exposure to large amounts of refrigerants. Extremely long service life of 1,000 hours or more!
- High-efficiency air sampling pump provides quicker response and quicker clearing ("zeroing")
- Audible alarm and multiple LEDs help locate leaks fast
- NiMH battery provides over six hours of use between charges. Detector also works with AC and DC power adapters (included)
  - On-board diagnostics indicate charging status and alert user to low battery or infrared sensor failure
  - Rubber-coated, flexible metal probe holds its position in tight spaces
    - Includes sensor, replacement filters, re-chargeable NiMH battery, AC power adapter, DC power adapter with cigarette lighter plug and rugged carrying case. AC adapter available in 120V, 230V, 240V and 100V versions.



## TP-9361 PRO-Chek CO2™ Carbon Dioxide Leak Detector

*Designed exclusively for the detection of carbon dioxide (R-744) — the "next generation" refrigerant. Features innovative infrared sensor technology. Provides consistent, accurate and reliable responses, while minimizing the risk of false alarms!*



### Features

- Optimum sensitivity detects leaks down to 0.2 oz/year (6 g/year)
- High/low sensitivity switch for accurate diagnosis of both large and small leaks
- Infrared sensor will not weaken over time, ensuring consistent and accurate response. Extra-long service life of 1,000 hours or more!
- Unique circuitry equalizes CO<sub>2</sub> in atmosphere, lowering risk of false alarms
- Will not react to smoke, humidity, airflow or temperature changes
- High-efficiency air sampling pump provides quicker response and quicker clearing ("zeroing")
- Audible alarm and multiple LEDs help pinpoint leaks quickly
- NiMH battery provides over six hours of use between charges. Detector also works with AC and DC power adapters (included)
- On-board diagnostics indicate charging status and alert user to low battery or infrared sensor failure
- Chrome-plated, flexible metal probe holds its position in tight spaces.
- Includes sensor, replacement filters, rechargeable NiMH battery, AC power adapter, DC power adapter with cigarette lighter plug and rugged carrying case. AC adapter available in 120V, 230V, 240V and 100V versions.

# TP-9366 PRO-DigiScale™

## Refrigerant Scale

*Outstanding durability, affordability and accuracy in a high-capacity scale. Easy to use. Weigh and charge from the same platform!*



### Features

- Handles cylinders up to 220 pounds (100 kg)
- Measures in lbs/oz, kg/g or decimal lbs
- "Best in class" load cell accurate to +/- 0.25 oz (7 g), with no drift
- Control head features large LCD for easy viewing, even in direct sunlight!
- Automatic and manual "zeroing"
- Low-battery and over-range warning indicators
- Auto shut-off conserves battery life
- Includes weighing platform, control head, communication cable, 9V battery and rugged carrying case

# TP-9365 PRO-Vac™

## Vacuum/Micron Gauge

*Features technologically advanced Pirani sensor. Accurately displays vacuum level at every stage in the evacuation cycle, from atmosphere down to one micron. User knows instantly if connections are tight!*



### Features

- Large LCD provides readings in microns, Pascal or millibars
- Wide display range from atmosphere (760,000 microns) down to 1 micron
- Industry-first inline filter protects sensor from contaminants, eliminating need for cleaning
- Low-battery warning indicator
- Auto shut-off conserves battery life
- Works with any vacuum pump
- Includes 9V battery, spare filter and compact storage case

## Tracerline® SPECIALTY TOOLS

- Accurate
- Professional
- Dependable
- Durable
- Affordable

## TP-9362 PRO-Chek CO™ Carbon Monoxide Meter

*Accurately and reliably measures dangerous carbon monoxide levels in passenger compartments, truck cabs, school buses and shop heating systems.*

### Features

- "Best in class" accuracy
- Easy-to-use push button controls allow one-handed operation
- Large, easy-to-read LCD
- Intuitive "stoplight" LEDs and audible alarm give quick indication of CO hazard
- Wide display range from 1-999 ppm
- Low-battery warning indicator
- Auto shut-off after one hour to conserve battery life
- Includes 9V battery, padded holster and belt clip




**Padded Holster  
with Belt Clip  
Included!**



## TP-9363 PRO-Chek CG™ Combustible Gas Leak Detector

*Outstanding sensitivity, quality and affordability in a portable gas leak detector. Perfect for finding leaks in CNG vehicles, acetylene welding tanks, propane tanks and more!*



### Features

- Twice as sensitive as competitive units
- Also detects gasoline, methanol, ethanol, methane, ethane, butane and other gases
- Three-position switch with sensitivity slide pinpoints location of leaks fast
- Variable audible alarm and flashing yellow LED help determine size of leak quickly
- Auto-zeroing function helps ignore background gas levels in test area
- Chrome-plated, flexible metal probe holds its position in tight spaces
- Includes sensor, (2) D cell batteries and rugged carrying case



**TRACER PRODUCTS**  
A Division of Spectronics Corporation

956 Brush Hollow Road, P.O. Box 483  
Westbury, New York 11590  
800-641-1133 • 516-333-1254  
Fax: 800-354-2353 • 516-876-8411  
[www.tracerline.com](http://www.tracerline.com)

DISTRIBUTED BY: